

50CS

Designed by Georg Nissen, her clean lines, sophisticated rig with ample sail area and careful weight saving make the 50CS an extremely easy yacht for a couple to handle while guaranteeing optimal trimming possibilities and high average speeds in all conditions. Once onboard, you'll immediately notice the spacious and totally clean deck area with wide gangways and the halyards led below deck. In addition, the balanced spade rudder and the smaller foretriangle ensure an extremely manoeuvrable yacht that can tack easily and quickly. The ultra-spacious and well sheltered cockpit, with its fixed cockpit table, is another highlight.









50CS

Perhaps the greatest surprise in the interior is the finer details such as the subtle storage space for the entrance hatches, the extending bar and the enormous storage space under the seating. And we certainly mustn't forget the large and easily accessible technical room, with its array of built-in equipment.






50CS

SPECIFICATIONS

Length overall	14.99 m	49.18 ft
Length waterline	13.13 m	43.08 ft
Maximum beam	4.58 m	15.03 ft
Displacement	17,500 kg	38,580 lbs
Draft bulb keel	2.15 m	7.05 ft
Ballast bulb keel	6,100 kg	13,445 lbs
Mast height above waterline	23.55 m	77.3 ft
Main sail	67 m ²	723 ft ²
Genoa 114%	58 m ²	616 ft ²
Fuel tank	638 ltr.	140 imp. gal.
Water tank	714 ltr.	158 imp. gal.
Engine, Yanmar	81 kW	110 hp




For more options see the specifications brochure or our website



50CS



POLAR PERFORMANCE DIAGRAM



STABILITY CURVE

